







INSTITUTO DE CIENCIAS DE LA CONSTRUCCIÓN EDUARDO TORROJA

C/ Serrano Galvache n. 4 28033 Madrid (Spain) Tel.: (34) 91 302 04 40

direccion.ietcc@csic.es https://dit.ietcc.csic.es

European Technical Assessment

ETA 12/0397 of 08/10/2020

English translation prepared by IETcc. Original version in Spanish language

General Part

Technical Assessment Body issuing the ETA designated according to Art. 29 of Regulation (EU) 305/2011:

Instituto de Ciencias de la Construcción Eduardo Torroja (IETcc)

Trade name of the construction product:

Anchor MTP Anchor MTP-G Anchor MTP-X

Product family to which the construction product belongs:

Torque controlled expansion anchor made of galvanized steel or sherardized steel of sizes M8, M10, M12, M16, M20 and M24 for use in cracked or uncracked concrete.

Manufacturer:

Index - Técnicas Expansivas S.L.

Segador 13

26006 Logroño (La Rioja) Spain. website: www.indexfix.com

Manufacturing plants:

Index plant 2

This European Technical Assessment contains:

14 pages including 3 annexes which form an integral part of this assessment.

This European Technical Assessment is issued in accordance with regulation (EU) No 305/2011, on the basis of:

European Technical Assessment EAD 330232-00-0601 "Mechanical Fasteners for use in concrete", ed. October 2016

This version replaces

ETA 12/0397 version 3 issued on 27/07/2017

English translation prepared by IETcc

This European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and should be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission according to article 25 (3) of Regulation (EU) No 305/2011.

SPECIFIC PART

1. Technical description of the product

The Index MTP wedge anchor in the range of M8, M10, M12, M16, M20 and M24 is an anchor made of galvanised steel. The Index MTP-G wedge anchor in the range of M8, M10, M12, M16 and M20 is an anchor made of sherardized steel. The Index MTP-X wedge anchor in the range of M8, M10, M12, M16 and M20 is an anchor made of galvanized steel. The anchor is installed into a predrilled cylindrical hole and anchored by torque-controlled expansion. The anchorage is characterised by friction between expansion clip and concrete.

Product and installation descriptions are given in annexes A1 and A2.

2. Specification of the intended use in accordance with the applicable European Assessment Document.

The performances given in section 3 are only valid if the anchor is used in compliance with the specifications and conditions given in annex B.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the anchor of at least 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a mean to choosing the right products in relation to the expected economically reasonable working life of the works.

3. Performance of the product and references to the methods used for its assessment

3.1 Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance under static or quasi static	See annexes C1 to C3
loading	
Displacements under tension and shear loads	See annex C4
Characteristic resistance under seismic loading	See annex C5 and C6
categories C1 and C2	

3.2 Safety in case of fire (BWR 2)

Essential characteristic	Performance			
Reaction to fire	Anchorages satisfy requirements for class A1			
Resistance to fire	See annex C7			

4. Assessment and Verification of Constancy of Performances (hereinafter AVCP) system applied, with reference to its legal base

The applicable European legal act for the system of Assessment and Verification of Constancy of Performances (see annex V to Regulation (EU) No 305/2011) is 96/582/EC.

English translation prepared by IETcc

The system to be applied is 1.

5. Technical details necessary for the implementation of the AVCP system, as provided for in the applicable European Assessment Document.

The technical details necessary for the implementation of the AVCP system are laid down in the quality plan deposited at Instituto de Ciencias de la Construcción Eduardo Torroja.



Instituto de Ciencias de la Construcción Eduardo Torroja CONSEJO SUPERIOR DE INVESTIGACIONES CIENTÍFICAS



C/ Serrano Galvache n.º 4. 28033 Madrid. Tel: (+34) 91 302 04 40 https://dit.ietcc.csic.es

On behalf of the Instituto de Ciencias de la Construcción Eduardo Torroja Madrid, 8th of October 2020




Director

English translation prepared by IETcc

Product and installed condition

MTP, MTP-G, MTP-X anchor



Identification on anchor:

Expansion clip:

Anchor MTP:
 Anchor MTP-G:
 Anchor MTP-G:
 Anchor MTP-X:
 Company logo + "MTP-G" + Metric.
 Company logo + "MTP-X" + Metric.

• Anchor body: Metric x Length


· Blue ring mark to show embedment depth

Length letter code on head:

Letter on head	Length [mm]
С	68 ÷75
D	76 ÷ 88
Е	89 ÷ 101
F	102 ÷ 113
G	114 ÷ 126
Н	127 ÷139

Letter on head	Length [mm]
I	140 ÷ 151
J	152 ÷ 164
K	165 ÷ 177
L	178 ÷ 190
M	191 ÷ 202
N	203 ÷ 215

Letter on head	Length [mm]
Р	229 ÷ 240
Q	241 ÷ 253
R	254 ÷ 266
S	267 ÷ 300



 $\begin{array}{ll} d_0 \colon & \text{Nominal diameter of drill bit} \\ d_f \colon & \text{Fixture clearance hole diameter} \\ h_{\text{ef}} \colon & \text{Effective anchorage depth} \end{array}$

h₁: Depth of drilled hole

 h_{nom} : Overall anchor embedment depth in the concrete

h_{min}: Minimum thickness of concrete member

t_{fix}: Fixture thickness

MTP, MTP-G, MTP-X anchors Product description Installed condition Annex A1

Table A1: materials

Item	Designation	Material for MTP	Material for MTP-G	Material for MTP-X	
1	Anchor body	M8 to M20: carbon steel wire rod, galvanized ≥ 5 µm ISO 4042 Zn5/An/T0 with antifriction coating M24: machine carbon steel, galvanized ≥ 5 µm ISO 4042 Zn5/An/T0 with antifriction coating	Carbon steel wire rod, sherardized ≥ 40 µm EN 13811	Carbon steel wire rod, galvanized ≥ 5 µm ISO 4042 Zn5/An/T0 with antifriction coating	
2	Washer	DIN 125, DIN 9021, DIN 440 galvanized ≥ 5 μm ISO 4042 Zn5/An/T0	DIN 125, DIN 9021, DIN 440 sherardized ≥ 40 μm EN 13811	DIN 125, DIN 9021,DIN 440 galvanized ≥ 5 μm ISO 4042 Zn5/An/T0	
3	DIN 934 class 6, Nut galvanized ≥ 5 μm ISO 4042 Zn5/An/T0		DIN 934 class 6, sherardized ≥ 40 µm EN 13811	DIN 934 class 6 galvanized ≥ 5 µm ISO 4042 Zn5/An/T0	
4	Expansion clip Stainless steel, grade A4		Stainless steel, grade A4	Carbon steel strip, sherardized ≥ 15 µm EN 13811	

MTP, MTP-G, MTP-X anchor	
Product description	Annex A2
Materials	

Specifications of intended use

Anchorages subjected to:

- Static or quasi static loads
- Seismic actions:
 - o for performance category C1:
 - MTP: M10, M12 and M16
 - MTP-X: M8, M10, M12, M16 and M20
 - o for performance category C2:
 - MTP: M12 and M16
 - MTP-X: M10, M12 and M20
- Resistance to fire exposure up to 120 minutes: all versions and sizes

Base materials:

- Reinforced or unreinforced normal weight concrete according to EN 206-1:2013
- Strength classes C20/25 to C50/60 according to EN 206-1:2013
- Cracked or uncracked concrete

Use conditions (environmental conditions):

Anchorages subjected to dry internal conditions.

Design:

- Anchorages are designed under the responsibility of an engineer experienced in anchorages and concrete.
- Verifiable calculation rules and drawings are prepared taking into account of the loads to be anchored. The position of the anchor is indicated on the design drawings (e.g. position of the anchor relative to reinforcement or to supports, etc.).
- Anchorages under static or quasi-static actions are designed for design method A in accordance with EN 1994-4:2018
- Anchorages under seismic actions are designed in accordance with EN 1992-4:2018.
 Anchorages shall be positioned outside of critical regions (e.g. plastic hinges) of the concrete structure. Fastening in stand-off installation or with grout layer are not allowed.
- Anchorages under fire exposure are designed in accordance with EN 1992-4:2018. It must be ensured that local spalling of the concrete cover does not occur.

Installation:

- Hole drilling by rotary plus hammer mode.
- Anchor installation carried out by appropriately qualified personal and under the supervision of the person responsible for technical matters of the site.
- In case of aborted hole: new drilling at a minimum distance away of twice the depth of aborted hole or smaller distance if the aborted hole is filled with high strength mortar and if under shear or oblique tension load it is not the direction of the load application.


MTP, MTP-G, MTP-X anchor	
Intended use	Annex B1
Specifications	


Table C1: Installation parameters for MTP, MTP-G, MTP-X anchor


Installation parameters			Performances						
			M8	M10	M12	M16	M20	M24	
d ₀	Nominal diameter of drill bit:	[mm]	8	10	12	16	20	24	
df	Fixture clearance hole diameter:	[mm]	9	12	14	18	22	26	
T _{inst}	Nominal installation torque:	[Nm]	20/15 ¹⁾	40	60	100	200	250	
L _{min}	Total langth of the holt:	[mm]	68	82	98	119	140	175	
L _{max}	 Total length of the bolt: 	[mm]	200	200	250	250	300	400	
h _{min}	Minimum thickness of concrete member:	[mm]	100	120	140	170	200	250	
h ₁	Depth of drilled hole:	[mm]	60	75	85	105	125	155	
h _{nom}	Overall anchor embedment depth in the concrete:	[mm]	55	68	80	97	114	143	
h _{ef}	Effective anchorage depth:	[mm]	48	60	70	85	100	125	
t _{fix}	Thickness of fixture for washer DIN 125 ≤ ²⁾	[mm]	L - 66	L – 80	L – 96	L - 117	L - 138	L - 170	
t_{fix}	Thickness of fixture for washers DIN 9021, DIN 440 ≤ ²⁾	[mm]	L - 67	L – 81	L – 97	L - 118	L - 139	L - 171	
Smin	Minimum allowable spacing:	[mm]	50	60	70	85/128 ¹⁾	100/150 ¹⁾	125	
Cmin	Minimum allowable distance:	[mm]	50	60	70	85/128 ¹⁾	100/150 ¹⁾	125	


¹⁾ Respective values for anchors MTP / MTP-G, MTP-X 2) L = total anchor length


Installation process











MTP, MTP-G, MTP-X anchor	
Performances	Annex C1
Installation parameters and installation procedure	

<u>Table C2: Characteristic values to tension loads of design method A according to EN 1992-4 for MTP, MTP-G, MTP-X anchor</u>

Characteristic values of resistance to tension			Performances						
loads of design according to design method A				M8	M10	M12	M16	M20	M24
Tension loads: steel failure									
$N_{Rk,s}$	Characteristic resistance	:	[kN]	18.1	31.4	40.4	72.7	116.6	179.2
γMs	Partial safety factor:		[-]	1.5	1.5	1.5	1.5	1.5	1.5
Tension	n loads: pull-out failur	e in concret	e				•		
MTP and	chor								
$N_{Rk,p,ucr}$	Characteristic resistance uncracked concrete:	e in C20/25	[kN]	9	16	20	35	50	50
$N_{Rk,p,cr}$	Characteristic resistance cracked concrete:	e in C20/25	[kN]	5	9	12	25	30	30
MTP-G a	nchor					I		l l	
N _{Rk,p,ucr}	Characteristic resistance uncracked concrete:	e in C20/25	[kN]	9	16	30	35	50	
N _{Rk,p,cr}	Characteristic resistance in C20/25 cracked concrete:		[kN]	6	9	16	25	30	
MTP-X a	nchor		•			•	-		
$N_{Rk,p,ucr}$	Characteristic resistance uncracked concrete:	e in C20/25	[kN]	9	16	25	35	50	
$N_{Rk,p,cr}$	Characteristic resistance cracked concrete:	e in C20/25	[kN]	6	9	16	25	30	
γins	Installation safety factor	:	[-]	1.2	1.0	1.0	1.0	1.0	1.2
•	lu ana a siu u fa atau fa u	C30/37	[-]	1.22	1.16	1.22	1.22	1.16	1.22
ψ_c	Increasing factor for $N^0_{Rk,p}$:	C40/50	[-]	1.41	1.31	1.41	1.41	1.31	1.41
	IN Rk,p.	C50/60	[-]	1.55	1.41	1.55	1.55	1.41	1.55
Tension	n loads: concrete con	and splitti	ng failure						
h _{ef}	Effective embedment de	oth:	[mm]	48	60	70	85	100	125
k _{ucr,N}	Factor for uncracked con	crete:	[-]	11.0					
k _{cr.N}	Factor for cracked concre	ete:	[-]				7,7		
γins	Installation safety factor:		[-]	1.2	1.0	1.0	1.0	1.0	1.2
Scr,N	- Concrete cone failure:		[mm]				x h _{ef}		
Ccr,N	Controlle Controllandre.		[mm]		T		x h _{ef}		
Scr,sp	Splitting failure:		_[mm]	288	300	350	425/510 ¹⁾	500/600 ¹⁾	560
Ccr,sp	ive values for enchare MTD /		[mm]	144	150	175	213/255 ¹⁾	250/300 ¹⁾	280

¹⁾ Respective values for anchors MTP / MTP-G, MTP-X

MTP, MTP-G, MTP-X anchor	
Performances	Annex C2
Characteristic values for tension loads	

<u>Table C3: Characteristic values to shear loads of design method A according to EN 1992-4 for MTP, MTP-G, MTP-X anchor</u>

Characteristic values of resistance to shear			Performances						
loads o	loads of design according to design method A			M10	M12	M16	M20	M24	
Shear	loads: steel failure without l	ever arm		•					
$V_{Rk,s}$	Characteristic resistance:	[kN]	11.0	17.4	25.3	47.1	73.1	84.7	
k ₇	Ductility factor:	[-]			1.	0			
γMs	Partial safety factor:	[-]	1.25	1.25	1.25	1.25	1.25	1.25	
Shear	loads: steel failure with leve	r arm							
M ⁰ Rk,s	Characteristic bending moment:	[Nm]	22.5	44.8	78.6	199.8	389.4	673.5	
γMs	Partial safety factor:	[-]	1.25	1.25	1.25	1.25	1.25	1.25	
Shear	loads: concrete pryout failu	re							
k ₈	Pryout factor:	[-]	1	2	2	2	2	2	
γins	Installation safety factor:	[-]	1.0						
Shear	loads: concrete edge failure)							
lf	Effective length of anchor under shear loads:	[mm]	48	60	70	85	100	125	
d _{nom}	Outside anchor diameter:	[mm]	8	10	12	16	20	24	
γins	Installation safety factor:	[-]			1.	0			

MTP, MTP-G, MTP-X anchor	
Performances	Annex C3
Characteristic values for shear load.	

Table C4: Displacements under tension load for MTP, MTP-G, MTP-X anchor

			Performances						
Displ	Displacements under tension loads			M10	M12	M16	M20	M24	
MTP a	anchor								
N	Service tension load:	[kN]	2.5	4.3	6.3	10.4	13.9	18.0	
δνο	Short term displacement:	[mm]	1.1	0.7	1.0	0.4	1.6	0.4	
δ _{N∞}	Long term displacement:	[mm]	1.9	1.9	1.9	1.9	1.9	2.0	
MTP-0	G anchor			•			•	•	
N	Service tension load:	[kN]	2.5	4.3	6.3	10.4	13.9		
δνο	Short term displacement:	[mm]	1.0	1.1	0.9	1.5	1.2		
δ _{N∞}	Long term displacement:	[mm]	1.9	1.9	1.9	1.9	1.9		
MTP-X anchor									
N	Service tension load:	[kN]	2.5	4.3	7.6	11.9	14.3		
δ_{N0}	Short term displacement:	[mm]	1.0	1.1	0.9	1.5	1.3		
δ_{N^∞}	Long term displacement:	[mm]	1.6	1.6	1.6	1.6	1.6		

Table C5: Displacements under shear load for MTP, MTP-G, MTP-X anchor

Displacements under cheer leads			Performances							
Dispi	Displacements under shear loads			M10	M12	M16	M20	M24		
MTP a	nchor			•			•	•		
V	Service shear load:	[kN]	4.9	6.8	8.5	15.1	24.6	33.6		
δ_{V0}	Short term displacement:	[mm]	1.0	1.5	1.8	1.9	3.1	1.4		
δ∨∞	Long term displacement:	[mm]	1.5	2.3	2.7	2.9	4.7	2.1		
MTP-0	G anchor			•			•	•		
V	Service shear load:	[kN]	4.9	6.8	8.5	15.1	24.6	-		
δ_{V0}	Short term displacement:	[mm]	1.0	1.5	1.8	1.9	3.1			
δ∨∞	Long term displacement:	[mm]	1.5	2.3	2.7	2.9	4.7			
MTP->	MTP-X anchor									
V	Service shear load:	[kN]	4.9	6.8	8.5	15.1	24.6			
δ_{V0}	Short term displacement:	[mm]	1.0	1.5	1.8	1.9	3.1			
δ∨∞	Long term displacement:	[mm]	1.5	2.3	2.7	2.9	4.7			

MTP, MTP-G, MTP-X anchor	
Performances	Annex C4
Displacements under tension and shear loads	

Table C6: Design information for seismic performance C1 MTP, MTP-X anchor

Design information for seismic performance C1				Performances						
			M8	M10	M12	M16	M20	M24		
Steel failu	ire for tension and shear fail	ure								
N _{Rk,s,C1}	Characteristic tension steel failure:	[kN]	18.1	31.4	40.4	72.7	116.6			
γMs,N	Partial safety factor:	[-]	1.5	1.5	1.5	1.5	1.5			
$V_{\text{Rk,s,C1}}$	Characteristic shear steel failure:	[kN]	7.7	12.2	17.8	33.0	58.5			
γMs,V	Partial safety factor:	[-]	1.25	1.25	1.25	1.25	1.25			
Pull out fa	ailure									
MTP ancho	or									
$N_{Rk,p,C1}$	Characteristic pull out failure:	[kN]		5.3	8.4	17.5				
MTP-X and	hor			I.	i.		I.			
$N_{Rk,p,C1}$	Characteristic pull out failure:	[kN]	5.9	8.9	16.0	25.0	30.0			
γins	Installation safety factor:	[-]	1.2	1.0	1.0	1.0	1.0			
Concrete	cone failure						•			
h _{ef}	Effective embedment depth:	[mm]	48	60	70	85	100			
Scr,N	Spacing:	[mm]			3 x h _{ef}					
C _{cr,N}	Edge distance:	[mm]			1.5 x h _{ef}					
γins	Installation safety factor:	[-]	1.2	1.0	1.0	1.0	1.0			
Concrete	pryout failure									
k ₈	Pryout factor:	[-]	1	2	2	2	2			
Concrete	edge failure						•	•		
lf	Effective length of anchor:	[mm]	48	60	70	85	100			
d _{nom}	Outside anchor diameter:	[-]	8	10	12	16	20			

¹⁾ Parameter relevant only for design according to CEN/TS 1992-4:2009, prEN 1992-4
²⁾ Parameter relevant only for design according to ETAG 001, Annex C

MTP, MTP-X anchor	
Performances	Annex C5
Design information for seismic performance C1	

Table C7: Design information for seismic performance C2 MTP, MTP-X anchor

Design information for seismic performance				Performances						
C2			M10	M12	M16	M20	M24			
re for tension and shear fail	ure		•	•		•				
Characteristic tension steel failure:	[kN]		31.4	40.4	72.7	116.6				
Partial safety factor:	[-]		1.5	1.5	1.5	1.5				
Characteristic shear steel failure:	[kN]		12.2	17.8	33.0	58.5				
Partial safety factor:	[-]		1.25	1.25	1.25	1.25				
ilure										
r					T		1			
Characteristic pull out failure:	[kN]			5.2	8.9					
hor			1	1						
Characteristic pull out failure:	[kN]		3.9	9.1		21.0				
Installation safety factor:	[-]		1.0	1.0	1.0	1.0				
cone failure										
Effective embedment depth:	[mm]		60	70	85	100				
Spacing:	[mm]		3 x h _{ef}							
Edge distance:	[mm]			1.5	x h _{ef}					
Installation safety factor:	[-]		1.0	1.0	1.0	1.0				
pryout failure										
Pryout factor:	[-]		2	2	2	2				
edge failure			•	•		•	•			
Effective length of anchor:	[mm]		60	70	85	100				
Outside anchor diameter:	[-]		10	12	16	20				
nents							•			
r										
_ Displacement Damage	[mm]			2.34	3.99					
	[mm]									
	-: -: +	-		1						
	[mm]			9.08	10.66					
	[mm]		3 15	5 57		6.82				
Displacement Damage Limitation State: ^{1) 2)}										
State:1)										
	re for tension and shear fail Characteristic tension steel failure: Partial safety factor: Characteristic shear steel failure: Partial safety factor: illure r Characteristic pull out failure: Installation safety factor: Installation safety factor: Cone failure Effective embedment depth: Spacing: Edge distance: Installation safety factor: Corpyout failure Pryout factor: Cotton failure Pryout factor: Cotton failure Displacement Damage Limitation State: (1) 2)	failure: Partial safety factor: Characteristic shear steel failure: Partial safety factor: Partial safety factor: Characteristic pull out failure: Characteristic pull out failure: Characteristic pull out failure: Installation safety factor: Cone failure Effective embedment depth: Installation safety factor: Cone failure Effective embedment depth: Installation safety factor: Installation safety factor: Installation safety factor: Installation safety factor: Installation safety factor: Installation safety factor: Installation safety factor: Insta	Characteristic tension steel failure: Partial safety factor: Characteristic shear steel failure: Partial safety factor: Partial safety factor: Partial safety factor: Characteristic pull out failure: Characteristic pull out failure: Characteristic pull out failure: Characteristic pull out failure: Installation safety factor: Effective embedment depth: Effective embedment depth: Installation safety factor: Installation safety factor: Installation safety factor: Pryout failure Pryout factor: Effective length of anchor: Coutside anchor diameter: Publication State: 1) 2) [mm] Displacement Damage Limitation State: 1) 2) [mm] Displacement Ultimate Limit State: 1) [mm] Displacement Damage Limitation State: 1) 2) [mm] Displacement Ultimate Limit State: 1) [mm] Displacement Ultimate Limit Emm] Displacement Ultimate Limit	M8 M10	M8 M10 M12	M8 M10 M12 M16 M16	M8 M10 M12 M16 M20 M20			

¹⁾ The listed displacements represent mean values

MTP, MTP-X anchor	
Performances	Annex C6
Design information for seismic performance C2	

²⁾ A small displacement may be required in the design in the case of displacements sensitive fastening of "rigid" supports. The characteristics resistance associated with such small displacements may be determined by linear interpolation or proportional reduction.

Table C8: Characteristic values for resistance to fire MTP, MTP-G, MTP-X anchor

Ohans	a manta viatio value a famous is to manta fi					Perform	nances		
Charac	racteristic values for resistance to fire			M8	M10	M12	M16	M20	M24
Steel fa	ilure								
		R30	[kN]	0,4	0,9	1,7	3,1	4,9	7,1
NI	Characteristic tension	R60	[kN]	0,3	0,8	1,3	2,4	3,7	5,3
$N_{Rk,s,fi}$	resistance:	R90	[kN]	0,3	0,6	1,1	2,0	3,2	4,6
		R120	[kN]	0,2	0,5	0,8	1,6	2,5	3,5
		R30	[kN]	0,4	0,9	1,7	3,1	4,9	7,1
\/	Characteristic shear	R60	[kN]	0,3	0,8	1,3	2,4	3,7	5,3
$V_{Rk,s,fi}$	resistance:	R90	[kN]	0,3	0,6	1,1	2,0	3,2	4,5
		R120	[kN]	0,2	0,5	0,8	1,6	2,5	3,5
		R30	[kN]	0,4	1,1	2,6	6,7	13,0	22,5
$M^0_{Rk,s,fi}$	Characteristic bending	R60	[kN]	0,3	1,0	2,0	5,0	9,7	16,8
IVI Rk,s,fi	resistance:	R90	[kN]	0,3	0,7	1,7	4,3	8,4	14,6
		R120	[kN]	0,2	0,6	1,3	3,3	6,5	11,2
Pull out	t failure								
		R30							
$N_{Rk,p,fi}$	Characteristic resistance	R60	[kN]	1,3/1,5 ³⁾	2,3	$3,0/4,0^{3)}$	6,3	7,5	7,5
i TKK,p,ii	Onaracteristic resistanc	R90							
_		R120	[kN]	1,0/1,23)	1,8	2,4/3,23)	5,0	6,0	6,0
Concre	te cone failure ²⁾			T			1		
		R30	FL-N IT	2.9	5,0	7,4	12.0	10.0	24.4
$N_{\text{Rk,c,fi}}$	Characteristic resistance	e: R60	[kN]	2.9	5,0	7,4	12,0	18,0	31,4
		R90 R120	[kN]	2,3	4,0	5,9	9,6	14,4	25,2
		K1ZU	[KI 4]	2,0	7,0	0,0	3,0	1-7,-7	20,2
Scr.N,fi	Critical spacing:	R30 to R120	[mm]			4 x	h _{ef}	1	
S _{min,fi}	Minimum spacing:	R30 to R120	[mm]	50	60	70	85/128 ¹⁾	100/150 ¹⁾	125
Ccr.N,fi	Critical edge distance:	R30 to R120	[mm]			2 x	h _{ef}		1
C _{min,fi}	Minimum edge distance:	R30 to R120	[mm]	$c_{min} = 2 \times h_{ef}$; if fire attack comes from more than one side, the edge distance of the anchor has to be ≥ 300 mm and $\geq 2 \times h_{ef}$					
Concre	te pry out failure								
k ₈	Pryout factor:	R30 to R120	[-]	1	2	2	2	2	2

MTP, MTP-G, MTP-X anchor	
Performances	Annex C7
Characteristic values for resistance to fire	

¹⁾ Respective values for anchors MTP / MTP-G, MTP-X
²⁾ As a rule, splitting failure can be neglected since cracked concrete and reinforcement is assumed. In absence of other national regulations the partial safety factor for resistance under fire exposure $\gamma_{m,fi}$ = 1,0 is recommended